

Turlock
Phone: 2096683340
4401 N. Golden State Boulevard
Turlock, CA
Email: bonandertrailer@gmail.com;BONANDER.BAKERSFIELD@GMAIL.COM



2021 Elite Trailers Slant Load 5 Horse Slant Load 7'x24' Other Horse Trailer

Stock#: C3595K	VIN#: 5MKWG242XN0020023	Year: 2021
Manufacturer: Elite Trailers	Width: 84" or 7'0"	Length: 288" or 24'0"
Height: 84" or 7'0"	Color: SILVER	#Axles: 2
URL: https://bonandertrailer.com/2021-elite-trailers-slant-load-5-horse-slant-load-7x24-other-horse-trailer-2Xsp.html		

Price	\$49,999.00
-------	-------------

Description

OVERVIEW

Gooseneck Slant Load Aluminum Horse Trailer

Conventional slant load trailers are one of the prevalent designs in the market today. Available in multiple widths, lengths and heights, our standard slant load trailers are designed with two to nine horses in mind. Custom models are available to haul many more. Most of our living quarters trailers will start with our standard slant models, then customized to fit the requests of our customers.

Standard Trailer Features

Exterior

2-5/16" Adjustable Coupler with Safety Chains and Breakaway Kit

Full Length Side Slats with White Smooth Sheets Above

8' Long Nose with 2' Taper

.040 One Piece Aluminum Roof Sheet

Single Speed Jack

Rubber Torsion Axles with Electric Breaks

Radial Tires with Steel Wheels

Stainless Steel Wheel Simulators

Hehr 19"x34" Nose Windows

Hehr 15'x34" Sliding Windows with Welded Bars (Hip Side)

Dressing Room Door with Camper Latch and Hehr Windows

Drop Down Feed Doors with Hehr Windows (Head Side)

Escape Door on Street side at 1st Horse with Locking Seal Plate*

4" Rubber Docking Bumper

Halogen Load Light at Rear

7 Way Plug and Wiring

Recessed Exterior Light Switches

LED High and Low Turn Signals at Rear

LED Dome and Clearance Lights

Horse Area

Breast/Butt Bars at All Horse Area Doors

Two Exterior and Interior Ties (per Stall)

Lined and Insulated Head and Rump Walls

Rubber on Wall at Hip/Head/Wall in Horse Area

.125 Smooth Aluminum Floor (5052 Marine Grade)

Premium Rubber Mats on Floor in Horse Area

Slatted Dividers with Stall Pads

One Feed Bag per Horse

One Roof Vent per Stall

Bulkhead Wall

Dress

Marine Carpet on Dress Floor, Drop and Bed

Tack

Permanent Rear Tack

One Saddle Rack per Horse

Blanket Bar

10 Bridle Hooks

Brush Trays

Trailer Details

Components

Doors All Elite built doors are engineered with heavy duty, proprietary extrusions and constructed to allow for maximum seal.

Drop Bars Elite built drop down bar mechanism is machined to allow ease of use. Independent from the drop down door allows for simple use.

Lighting Elite utilizes LED interior and exterior clearance lighting in all wiring harnesses. All wiring connections are plugs or are soldered, covered with heat shrink material.

Horse Dividers With multiple divider types, the Elite divider is built with designed extrusions that give it maximum strength

Bulkhead Wall. .090" smooth sheet welded on to our heavy duty wall posts.

Lining and Insulation With 4 tiers of protection, Elite Horse Trailers provide the protection from horses kicking and pawing, and help prevent sidewall damage and exterior dings.

Axles and Tires Elite uses Dexter Rubber Torsion axles with electric brakes and name brand tires. Our trailers are engineered with accurate weights that provide proper axle and tire size based on the total weight of the trailer and it's contents, including living quarters.

Hinges Elite's proprietary, heavy duty, extruded hinge is used for doors and dividers. This hinge is fitted with a brass fitting that lubricates and allows for a tighter fit with the stainless pin. This hinge is welded to the structure to give us the strongest hinge possible.

Windows Elite only uses HEHR windows. Available in many sizes and types, you can rest assured that they will be installed, worry free.

Saddle Racks The Elite built carpeted saddle racks are designed to hold a large variety of today's saddles.

Wall Rubber The wall rubber on our trailers is corded rubber matting that is able to absorb impacts that would damage lesser made products.

Carpet Marine grade carpeting is used in the tack room and other applications to assure a long life.

Structure

Top RailContinuous 5" radius rail with an overall height of 8" and a material thickness of 3/16" with an integrated drip rail.

Drop Gusset3/16" thickness, welded one piece gussets which add structure to provide maximum nose strength.

Drop Wall3/16" thickness with an engineered break on the top and bottom adds strength and allows for a cleaner weld area to ensure against leakage.

FlooringElite's floor structure consists of 4" I beams with an upper 2 1/2" flange and a lower 3" flange on 12" centers. Elite utilizes a .125" thick, 5052 marine grade sheet floor on top of the structure.

Rear FrameThe rear frame is supported by a 2 1/2" x 5" upper header at a 1/4" thickness. For added strength, the rear frame side post is integrated through the floor into the bottom rail.

Aluminum Side Wall Construction6005 T6 aluminum alloy posts with 7" posts at the drop wall, 5" x 1 3/8" at doors and dividers, and 1 3/8" x 2 1/2" for all other side wall structure posts. The exterior, 6063 aluminum interlocking extruded slat is .125 thick. Exterior smooth sheets are a 3004 aluminum alloy with a H291 temper and thickness of up to .063".

Roof Construction1" x 2 1/2" arched roof bows with one piece, .040" thick 3003 H16 aluminum roof sheet.